

7616-76

9/26/2012

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

September 26, 2012

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Cristina Griffin
Agent for KIK Pool Additives, Inc.
Delta Analytical Corporation
12510 Prosperity Drive Suite 160
Silver Spring, Maryland 20904

Subject: KT Chlorinating Tablets
EPA Registration No.: 7616-76
Application Date: 09/10/2012
Receipt Date: 09/11/2012

Dear Ms. Griffin:

This letter acknowledges receipt of your notification submitted under the provision of FIFRA section 3(c)9 and PR Notice 98-10.

Proposed Notification

- Alternate brand names:
 - Kem-Tek Pool & Spa Care Black Algae Treatment
 - Kem-Tek Pool & Spa Care 1 Chlorinating Tablets
 - Chlorinating Tablets
 - Kem-Tek Pool & Spa Care 3 Chlorinating Tablets
 - Kem-Tek Pool & Spa Care Floating Chlorinator
- Additional label claim, "salt system compatible"

General Comments

Based on a review of the submitted materials, your notification for the alternate brand names above and the additional label claim is acceptable. It is in compliance with PR notice 91-2 and in agreement with the label. This has been made a part of your file.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-0410 or by e-mail at harris.monisha@epa.gov or Jaclyn Carl by telephone at (703) 347-0213 or by e-mail at carl.jaclyn@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in black ink, appearing to read "Monisha Harris".

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Please read instructions on reverse before completing.

Form Approved OMB No. 2070-0060.



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number NOTIF

Application for Pesticide - Section I

1. Company/Product Number 7616-76
2. EPA Product Manager Monisha Harris
3. Proposed Classification
4. Company/Product (Name) KIK Pool Additives Inc. / KT Chlorinating Tablets
5. Name and Address of Applicant
6. Expedited Review.

Section - II

Amendment - Explain below
Resubmission in response to Agency letter dated
Notification - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification (PR-Notice 98-10) to add minor claims, graphics and alternate brand names: "Kem-Tek Pool & Spa Care Black Algae Treatment", "Kem-Tek Pool & Spa Care 1" Chlorinating Tablets", "Kem-Tek Pool & Spa Care 3" Chlorinating Tablets" and "Kem-Tek Pool & Spa Care Floating Chlorinator."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product.

Section - III

1. Material this Product will be Packaged in:
Child-Resistant Packaging
Unit Packaging
Water Soluble Packaging
2. Type of Container
3. Location of Net Contents Information
4. Size(s) of Retail Container
5. Location of Label Direction
6. Manner In Which Label Is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)
Name: Cristina Griffin
Title: Agent for KIK Pool Additives, Inc.
Telephone No.: 301-680-7971

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature
3. Title
4. Typed Name
5. Date

KT Chlorinating Tablets

[Previously approved Alternate Brand Names:]

- Aqua Guard 1" Chlorinating Tablets
- Aqua Guard 3" Chlorinating Tablets
- Aqua Guard Black Algae Treatment
- Aqua Guard Chlorinating Sticks
- Kem-Tek All-in-One 3" Multi Function Chlorinating Tablets
- Kem-Tek Black Algaecide Treatment
- Pro Side 1" Chlorinating Tablets
- Pro Side 3" Chlorinating Tablets
- Kem-Tek Swimming Pool 1" Chlorinating Tablets

- Kem-Tek Swimming Pool 3" Chlorinating Tablets
- Kem-Tek Swimming Pool Chlorinating Sticks
- Kem-Tek Swimming Pool Floating Chlorinator
- [Adding the following new Alternate Brand Names:]
- Kem-Tek Pool & Spa Care Black Algae Treatment
- Kem-Tek Pool & Spa Care 1" Chlorinating Tablets
- Kem-Tek Pool & Spa Care 3" Chlorinating Tablets
- Kem-Tek Pool & Spa Care Floating Chlorinator

Active Ingredient:

Trichloro-s-triazinetriene.....	95.0%
Other Ingredients	5.0%
Total.....	100.0%

[85% Available Chlorine or Available Chlorine – 85%]

KEEP OUT OF REACH OF CHILDREN DANGER

9-26-12
Registered By: J. CARL

See back panel for First Aid and other precautions
[or See First Aid statement and additional precautions on back panel]

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

FIRST AID: Call a poison control center [(1-800-222-1222)] or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.
[First Aid may be in table form]

Net Wt. ____ lbs [(____ kg)]

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
 KIK Pool Additives Inc.
 5160 E. Airport Dr.
 Ontario, Calif. 91761

Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg. No. 7616-76

EPA Est. No. 7616-CA-1

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets product name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


[For containers smaller than 50 pounds use the following:]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE OR EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND TOXIC HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH LIBERATION OF HARMFUL GASES. IN CASE OF FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.



*[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets product name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

Routine Chlorinator

Salt System Compatible

Sanitizer, Algaecide [[&] [And]] Clarifier [Sanitizer, Algaecide, [[&] [And]] Clarifier]

Sanitize[r][s] [Pool Water] [Water]

Seven Day Tablet

Simply B

Simply Smart[er] [Pool Care] [System]

Slow [Dissolving] [Release]

Smart[er] B

Softens Water

Specially Formulated To Resist Crumbling

Stabilized

[Step] #2 [Step Two] [Chlorine Treatment] [Of The Kem-Tek Pool Care System]

Step [Insert # or letter]

[Step] 2: Chlorinate

Step B

Swimming Pool Sanitizer

Time Release Formula [For Long Lasting Results]

UV [Protected] [Resistant]

Week-Long Chlorination

Wipes Out Algae

With Built-In Clarifier, Filter Enhancer, [[&] [And]] Algae Preventative

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

KT CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KT CHLORINATING TABLETS with any other sticks, tablets or any other chemicals.
2. Fill the feeder with tablets.
3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm.
4. Check the pH of the pool water daily, adding [Sodium Bisulfate (dry pool acid) or Sodium Carbonate (soda ash) and/or KEM TEK™ pH MINUS or pH PLUS] or equivalent products as necessary to maintain pH in 7.2–7.6 range.
5. If the pool is not stabilized with [Cyanuric Acid and/or KEM TEK™ STABILIZER CONDITIONER] or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on [Cyanuric Acid and/or KEM TEK™ STABILIZER CONDITIONER] or equivalent product for exact instructions.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super chlorination (shocking) is necessary. Super chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0 – 1.5 ppm. For super chlorination, use a liquid or granular agent, such as Sodium Hypochlorite, Calcium Hypochlorite or Sodium Dichloro-s-triazinetrione, which will dispense chlorine rapidly. Consult the label on Sodium Hypochlorite, Calcium Hypochlorite or Sodium Dichloro-s-triazinetrione for super chlorination instructions. Do not use the pool during super chlorination until the chlorine residual is less than 3 ppm.

*[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets product name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*


Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or any other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion.

[The following are to be used with different alternate brand names and are different forms of the same product:]

USE OF THE FLOATING CHLORINATOR

Do not use in spas, hot tubs or in water temperatures above 90° F.

1. To use this container, cut off the two large knobs nearest the cap (at opposite sides). Locate and remove the small knob which corresponds to the pool capacity in gallons (Fig. 1). Holding the FLOATING CHLORINATOR neck down, shake lightly to level contents. FLOATING CHLORINATOR CONTAINS 1" CHLORINATING TABLET (slow dissolving, stabilized and highly concentrated).
2. Place FLOATING CHLORINATOR into the pool water neck down (Fig. 2). Monitor chlorine feed setting using a refillable test kit; chlorine residual should read from 1 - 1.5 ppm. To increase chlorine residual, cut off the small knob for the next higher pool capacity. As part of routine maintenance, super chlorinate regularly using an unstabilized chlorine product [such as] CHLORINATING LIQUID or SHOCK™. Adjust pH as needed with pH PLUS™ or pH MINUS™ keeping it between a 7.2 - 7.6 reading. To minimize chlorine consumption, add CHLORINE STABILIZER as needed to give a concentration of 30 ppm. Follow the instructions provided on these labels.
3. FLOATING CHLORINATOR tilts when empty. Drain all water and remove safety cap to refill. Use KT CHLORINATING TABLETS only. Never mix with any other chemicals or tablets. DO NOT OVERFILL (Fig. 3). When FLOATING CHLORINATOR shows signs of brittleness or cracking, it should be replaced.



USE OF LARGE SKIMMER TABLETS

- One dose lasts up to 2 weeks • Individually wrapped for easy handling.

This product is designed to dissolve slowly providing a steady source of available chlorine in vinyl lined pools without an automatic timer on the pool pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If chlorine residual goes above 3 ppm, reduce skimmer flow rate or daily pump operation time. Shock treat weekly or every other week with appropriate shock treatment. Follow label directions.

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets product name] [Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

GRANULAR ALGAECIDE (BLACK ALGAE TREATMENT)

GRANULAR ALGAECIDE is a potent algaecide, which is effective against all algae when used as directed. It is especially effective against so-called "black" algae which appears as spots on the walls and bottom of pools.

1. Check pH of water. Adjust pH (if necessary) to a residual of 7.2 – 7.6 using a reliable test kit and soda ash or dry pool acid.
2. Similarly, check available chlorine and adjust (if necessary) to a residual of 1.0 – 1.5 ppm using a dry or liquid chlorinating product.
3. Place one tablespoon of GRANULAR ALGAECIDE directly on the black spots (if on the pool bottom). If spots are on the pool walls, place a tablespoon of GRANULAR ALGAECIDE on a 6" square cloth, tie and hang from the edge of the pool by the spot.
4. Wait 24 to 36 hours. Brush spots off with a wire algae brush and repeat steps 1 through 3 until algae free.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame or in case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:**

Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash [collection] or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[If floating chlorinator directions are on the label, substitute the following after "CONTAINER HANDLING" above:] **FLOATING CHLORINATOR DISPOSAL:** Triple rinse cracked or broken containers and offer for recycling. If recycling is not available, discard in trash.



[GRAPHICS]




Chlorinates up to One Week




UV Resistant




Slow Dissolving




For Floaters & Feeders




Kills Algae & Bacteria



Salt System Compatible




Effective Treatment of Black Algae



For Control of Algae & Bacteria



Tilts When Empty



Works Under Pool Cover


MAINTAINING YOUR POOL IS AS EASY AS

1 **2** **3**

balance chlorinate shock



chlorinate



[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets product name] [Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]